

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	155	"6761070" "6707106" "6682965" "6635910" "6444487" "6428713" "6154475" "6107861" "5932809" "5261999" "4222815" "4203327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:25
L2	2023	(fixed stationary) near3 (capacit\$4) near3 (plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:47
L3	574	2 and (movable moving displac\$4) near3 (capacit\$4) near3 (plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:34
L4	131	3 and (second two pair plural\$4 couple mult\$4) near3 (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:43
L5	77	4 and (substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:27
L6	45	5 and (input\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:35
L7	42	6 and (output\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:33
L8	715564	(strain stress force load pressure) near3 (cell gauge detect\$4 sens\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:44
L9	650	8 and (fixed stationary) near3 (capacit\$4) near3 (plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:34

L10	230	9 and (movable moving displac\$4) near3 (capacit\$4) near3 (plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:34
L11	56	10 and (second two pair plural\$4 inner outer top bottom upper lower couple mult\$4) near3 (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:35
L12	35	11 and (input\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:35
L13	35	12 and (output\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:43
L14	9	"4944181"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:43
L15	3	14 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:45
L16	90	73/862.628	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:44
L17	288	73/862.628.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:44
L18	257	17 and (strain stress force load pressure) near3 (cell gauge detect\$4 sens\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:44
L19	19	18 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:45

L20	3	19 and (capacit\$4) near3 (plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 16:48
-----	---	------------------------------------	---	----	----	------------------